

Refine Search

Search Results -

Term	Documents
VARIABLE	888076
VARIABLES	259362
LENGTH	2323138
LENGTHS	498699
FIXED	1867855
FIXEDS	5
CODEWORD	8633
CODEWORDS	6817
ENCAPS	0
ENCAP	577
ENCAPABLE	8
(ENCAPS ADJ VARIABLE ADJ LENGTH AND FIXED ADJ LENGTH ADJ CODEWORD).PGPB,USPT.	1


There are more results than shown above. [Click here to view the entire set.](#)

Database:

US Pre-Grant Publication Full-Text Database
US Patents Full-Text Database
US OCR Full-Text Database
EPO Abstracts Database
JPO Abstracts Database
Derwent World Patents Index
IBM Technical Disclosure Bulletins

Search:

Refine Search

Recall Text 

Clear

Interrupt

Search History

DATE: Thursday, October 25, 2007 [Purge Queries](#) [Printable Copy](#) [Create Case](#)

Set Name Query

side by side

DB=PGPB,USPT; PLUR=YES; OP=ADJ

Hit Count Set Name

result set

<u>L10</u>	. encap\$ adj variable adj length and fixed adj length adj codeword	1	<u>L10</u>
<u>L9</u>	L8 and length adj codeword	11	<u>L9</u>
<u>L8</u>	L7 and variable adj length	71	<u>L8</u>
<u>L7</u>	L6 and fixed adj length	97	<u>L7</u>
<u>L6</u>	encapsulat\$ and codeword	677	<u>L6</u>
<u>L5</u>	encapsulat\$ and codeword near fixed adj length	0	<u>L5</u>
<u>L4</u>	L3 and encapsulat\$ near variable	1	<u>L4</u>
<u>L3</u>	variable adj length and fixed adj length adj codeword	111	<u>L3</u>
<u>L2</u>	L1 and variable adj length adj codeword	0	<u>L2</u>
<u>L1</u>	encapsulating adj variable adj length	6	<u>L1</u>

END OF SEARCH HISTORY

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [Gmail](#) [more ▾](#)

[Sign in](#)

Google

"synchronization byte" "fixed length" "variable

Search

[Advanced Search](#)
[Preferences](#)

Web Results 1 - 10 of about **51** for "**synchronization byte**" "**fixed length**" "**variable length**" "**encapsulate**". (C

Encapsulation technique - Patent 20050071517

The method of claim 1 wherein the **synchronization byte** comprises one of two ... to **encapsulate** a **variable length** frame into at least one **fixed length** ...

www.freepatentsonline.com/20050071517.html - 38k - [Cached](#) - [Similar pages](#)

Transmission of high rate isochronous data in MPEG-2 data streams ...

MPEG transport packets each have a **fixed length** of 188 bytes. ... The first byte is a **synchronization byte** having a unique eight-bit pattern, e.g., ...

www.freepatentsonline.com/5598415.html - 62k - [Cached](#) - [Similar pages](#)

[[More results from www.freepatentsonline.com](#)]

Transmission of high rate isochronous data in MPEG-2 data streams ...

The first byte is a **synchronization byte** having a unique eight-bit pattern, The first step in forming a transport packet stream is to **encapsulate** the ...

www.patentstorm.us/patents/5598415-description.html - 56k - [Cached](#) - [Similar pages](#)

Digital entertainment terminal providing multiple digital pictures ...

In ATM, information is organized into cells having a **fixed length** and format. The header information includes, inter alia, a **synchronization byte**, ...

www.patentstorm.us/patents/5847771-description.html - 89k - [Cached](#) - [Similar pages](#)

[[More results from www.patentstorm.us](#)]

[PDF] Proposal for BWA Physical Layer Protocol based on DVB Downstream ...

File Format: PDF/Adobe Acrobat

The PHY layer format includes a **variable-length** modulated **fixed length**. This allows the burst length assignment granularity to remain constant as the ...

wirelessman.org/tg1/phy/contrib/80216pc-99_17.pdf - [Similar pages](#)

The ATSC Transport Layer, Including Program and System Information ...

MPEG-2 TS provides a mechanism to **encapsulate** and mul-. tiplx coded video, coded audio, gins with the **synchronization byte** 0x47. The first 4 bytes ...

ieeexplore.ieee.org/iel5/5/33232/01566622.pdf - [Similar pages](#)

EP753954 Gen european software patent - Transmission of high rate ...

The first byte is a **synchronization byte** having a unique eight-bit pattern, e.g., The **variable length** adaptation field can contain, for example, ...

gauss.ffii.org/PatentView/EP753954 - 69k - [Cached](#) - [Similar pages](#)

EP1225770 Gen european software patent - Error detection and ...

The first byte is a **synchronization byte** having a unique eight-bit a transport packet stream is to **encapsulate** the elementary stream for each type of ...

gauss.ffii.org/PatentView/EP1225770 - 122k - [Cached](#) - [Similar pages](#)

Transmission of high rate isochronous data in MPEG-2 data streams ...

MPEG transport packets each have a **fixed length** of 188 bytes. The first step in forming a transport packet stream is to **encapsulate** the elementary ...

www.patentgenius.com/patent/5598415.html - 66k - [Cached](#) - [Similar pages](#)

[PDF] Cabletron Systems ATM Technology Guide

File Format: PDF/Adobe Acrobat - [View as HTML](#)

reception of **fixed-length** cells, rather than **variable length** frames. Every cell on an

They separate cells, provide receiver **synchronization (byte ...**

www.enterasys.com/support/manuals/hardware/2059.pdf - [Similar pages](#)

[1](#) [2](#) [3](#) [4](#) [Next](#)

Download [Google Pack](#): free essential software for your PC

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

©2007 Google - [Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)